



STUDENT'S LAST NAME (Print) \_\_\_\_\_

FIRST NAME \_\_\_\_\_

MIDDLE \_\_\_\_\_

DATE OF BIRTH: \_\_\_\_/\_\_\_\_/\_\_\_\_  
M D Y

## RECOMMENDED IMMUNIZATIONS

**G. HUMAN PAPILLOMAVIRUS** (For both males and females; Two doses of vaccine if started between 9-14 years of age, or three doses of vaccine if started between 15-26 years of age, at 0, 1-2, and 6 month intervals.)

Specify Quadrivalent (HPV4) \_\_\_\_ or 9-valent (HPV9) \_\_\_\_ Immunization Dates: #1 \_\_\_\_/\_\_\_\_/\_\_\_\_ #2 \_\_\_\_/\_\_\_\_/\_\_\_\_ #3 \_\_\_\_/\_\_\_\_/\_\_\_\_  
M D Y M D Y M D Y

**H. INFLUENZA** Annual immunization recommended for all college students to avoid influenza complications in high-risk patients, to avoid disruption to academic activities, and to limit transmission to high-risk individuals.

Immunization ..... Date \_\_\_\_/\_\_\_\_/\_\_\_\_ Date \_\_\_\_/\_\_\_\_/\_\_\_\_ Date \_\_\_\_/\_\_\_\_/\_\_\_\_ Date \_\_\_\_/\_\_\_\_/\_\_\_\_ Date \_\_\_\_/\_\_\_\_/\_\_\_\_  
M D Y M D Y M D Y M D Y M D Y  
(Most recent dose)

### I. HEPATITIS A

1. Immunization Date (hepatitis A) ..... #1 \_\_\_\_/\_\_\_\_/\_\_\_\_ #2 \_\_\_\_/\_\_\_\_/\_\_\_\_  
or M D Y M D Y  
2. Immunization Date (Combined hepatitis A and B vaccine) ..... #1 \_\_\_\_/\_\_\_\_/\_\_\_\_ #2 \_\_\_\_/\_\_\_\_/\_\_\_\_ #3 \_\_\_\_/\_\_\_\_/\_\_\_\_  
M D Y M D Y M D Y

### J. MENINGOCOCCAL B VACCINE

Young adults aged 16-23 may be vaccinated with either a 2-dose series of Bexsero or a 2 or 3-dose series on Trumenba vaccine to provide short-term protection against most strains of serogroup B meningococcal disease. The same vaccine product must be used for all doses: ..... Bexsero #1 \_\_\_\_/\_\_\_\_/\_\_\_\_ #2 \_\_\_\_/\_\_\_\_/\_\_\_\_ or Trumenba #1 \_\_\_\_/\_\_\_\_/\_\_\_\_ #2 \_\_\_\_/\_\_\_\_/\_\_\_\_ #3 \_\_\_\_/\_\_\_\_/\_\_\_\_  
M D Y M D Y M D Y M D Y M D Y

## REQUIRED TUBERCULOSIS SCREENING

1. Does the student have signs or symptoms of active tuberculosis disease?.....  Yes  No  
If **No**, proceed to 2. If **Yes**, proceed with additional evaluation to exclude active tuberculosis disease.

2. Is the student a member of a high-risk group? (\*) .....  Yes  No  
If **No**, stop. If **Yes**, place tuberculin skin test or draw blood for IGRA testing. A history of BCG vaccination should not preclude testing of a member of a high-risk group, but IGRA is preferred.

3. Tuberculin Skin Test: ..... Date Given: \_\_\_\_/\_\_\_\_/\_\_\_\_ Date Read: \_\_\_\_/\_\_\_\_/\_\_\_\_ Result: \_\_\_\_\_  
M D Y M D Y (Record mm of induration; if no induration, write "0")

TST interpretation (based on mm of induration and risk factors): .....  Positive  Negative

4. IGRA: ..... Date: \_\_\_\_/\_\_\_\_/\_\_\_\_ Result: Negative \_\_\_\_ Positive: \_\_\_\_ Indeterminate: \_\_\_\_  
M D Y

5. Chest x-ray ..... Date of chest x-ray: \_\_\_\_/\_\_\_\_/\_\_\_\_ Result:  Normal  Abnormal  
(required if TST or IGRA is positive) M D Y

(\*)High risk groups include those students who were born in, or who have had frequent or prolonged visits to countries where TB is endemic. See World Health Organization Global Health Observatory, Tuberculosis Incidence, list of countries with incidence rates of ≥ 20 cases per 100,000 population. For current listing of such countries refer to <http://apps.who.int/gho/data/node.main.1320>.

Other categories of high-risk students include those with recent close contact with someone with infectious tuberculosis; with HIV infection/AIDS; who inject drugs; who have resided in, volunteered in, or worked in high-risk congregate settings such as prisons, nursing homes, hospitals, residential facilities for patients with AIDS, or homeless shelters; and those who have clinical conditions such as diabetes, chronic renal failure, leukemia or lymphoma, low body weight, gastrectomy or jejunoileal by-pass, chronic malabsorption syndromes, prolonged corticosteroid therapy, immunosuppressive therapy or other immunosuppressive disorders.

HEALTHCARE PROVIDER NAME \_\_\_\_\_

ADDRESS \_\_\_\_\_

PHONE \_\_\_\_\_ FAX \_\_\_\_\_

SIGNATURE \_\_\_\_\_ DATE \_\_\_\_\_